

Epi Profile
HIV/AIDS cases and rates (per 100,000 population) in MSR [Memphis/Shelby Region], by sex and race/ethnicity, 2007

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	33	11	a	6	4	a	39	8	a
Black, not Hispanic	280	89	a	153	96	a	433	92	a
Hispanic	*	*	a	*	*	a	*	*	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	*	a	*	*	a	*	*	a
Total	313	100	a	160	100	a	473	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by sex and age at diagnosis, 2007

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	*	*	*	*	*	*
15-24	71	23	38	24	109	23
25-34	86	27	44	28	130	27
35-44	90	29	49	31	139	29
45-54	46	15	18	11	64	14
55-64	19	6	7	4	26	5
>=65	*	*	*	*	*	*
Total	313	100	160	100	473	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by sex and exposure category, 2007

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	114	36	a	a	114	24
Injection drug use (IDU)	*	*	*	*	*	*
Male-to-male sex and IDU	0	0	a	a	0	0
Heterosexual contact	73	23	84	53	157	33
Mother with/at risk for HIV	*	*	*	*	*	*
Other/unknown	124	40	75	47	199	42
Total	313	100	160	100	473	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile

HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by race/ethnicity and exposure category, 2007

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	13	33	101	23	0	0	0	0	0	0	0	0	114	24
Injection drug use (IDU)	0	0	*	*	0	0	0	0	0	0	0	0	*	*
Male-to-male sex and IDU	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Heterosexual contact	8	21	148	34	*	*	0	0	0	0	0	0	157	33
Mother with/at risk for HIV	0	0	*	*	0	0	0	0	0	0	0	0	*	*
Other/unknown	18	46	181	42	*	*	0	0	0	0	0	0	199	42
Total	39	100	433	100	*	100	0	0	0	0	0	0	473	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by sex and tuberculosis comorbidity, 2007

Tuberculosis diagnosis	Males		Females		Total	
	No.	%	No.	%	No.	%
Not diagnosed	313	100	160	100	473	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	313	100	160	100	473	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by sex and race/ethnicity, 2007

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	11	14	a	0	0	a	11	10	a
Black, not Hispanic	66	85	a	33	100	a	99	89	a
Hispanic	*	*	a	0	0	a	*	*	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	*	*	a	0	0	a	*	*	a
Total	78	100	a	33	100	a	111	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and sex

	2003	2004	2005	2006	2007	Cumulative cases through 2007
Sex	No.	No.	No.	No.	No.	No.
Males	283	282	293	305	313	6,099
Females	123	146	150	152	160	2,378
Total	406	428	443	457	473	8,477

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2003	2004	2005	2006	2007	Cumulative cases through 2007
	No.	No.	No.	No.	No.	No.
White, not Hispanic	32	44	48	43	39	1,584
Black, not Hispanic	366	371	384	408	433	6,768
Hispanic	*	9	8	*	*	79
Asian/Pacific Islander	*	*	*	*	0	4
American Indian/Alaska Native	0	0	*	*	0	6
Unknown/Multiple Race	*	*	*	0	*	36
Total	406	428	443	457	473	8,477

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2003	2004	2005	2006	2007	Cumulative cases through 2007
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	27	38	35	34	33	1,404
White, not Hispanic: Female	5	6	13	9	6	180
Black, not Hispanic: Male	250	232	250	267	280	4,594
Black, not Hispanic: Female	116	139	134	141	153	2,174
Hispanic: Male	*	9	5	*	0	65
Hispanic: Female	*	0	*	*	*	14
Asian/Pacific Islander: Male	*	0	*	*	0	3
Asian/Pacific Islander: Female	0	*	0	0	0	1
American Indian/Alaska Native: Male	0	0	*	*	0	4
American Indian/Alaska Native: Female	0	0	0	0	0	2
Unknown/Multiple Race: Male	*	*	*	0	0	29
Unknown/Multiple Race: Female	*	*	*	*	*	7
Total	406	428	443	457	473	8,477

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and age at diagnosis

Age (yrs)	2003	2004	2005	2006	2007	Cumulative cases through 2007
	No.	No.	No.	No.	No.	No.
<13	*	*	*	*	0	72
13-14	*	*	*	*	0	15
15-24	80	87	91	97	109	1,526
25-34	115	132	125	124	130	3,129
35-44	123	110	133	131	139	2,385
45-54	65	73	64	76	64	968
55-64	15	19	20	22	26	282
>=65	*	5	8	6	5	100
Total	406	428	443	457	473	8,477

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV/AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and exposure category

Exposure category	2003	2004	2005	2006	2007	Cumulative cases through 2007
	No.	No.	No.	No.	No.	No.
Male-to-male sex	163	164	165	195	114	3,778
Injection drug use (IDU)	8	5	6	15	*	531
Male-to-male sex and IDU	*	*	*	*	0	294
Heterosexual contact	94	108	107	153	157	2,330
Mother with/at risk for HIV	*	*	*	*	*	66
Other/unknown	136	149	160	91	199	1,478
Total	406	428	443	457	473	8,477

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and sex

	2003	2004	2005	2006	2007	Cumulative cases through 2007
Sex	No.	No.	No.	No.	No.	No.
Males	151	145	166	208	280	2,405
Females	70	84	105	108	135	1,178
Total	221	229	271	316	415	3,583

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Epi Profile
HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2003	2004	2005	2006	2007	Cumulative cases through 2007
	No.	No.	No.	No.	No.	No.
White, not Hispanic	18	24	24	27	34	540
Black, not Hispanic	199	199	241	284	380	2,992
Hispanic	*	*	*	*	*	33
Asian/Pacific Islander	*	*	*	0	0	3
American Indian/Alaska Native	0	0	0	*	0	2
Unknown/Multiple Race	*	*	*	0	*	13
Total	221	229	271	316	415	3,583

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2003	2004	2005	2006	2007	Cumulative cases through 2007
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	15	20	14	21	28	449
White, not Hispanic: Female	*	*	10	6	6	91
Black, not Hispanic: Male	133	120	147	184	252	1,917
Black, not Hispanic: Female	66	79	94	100	128	1,075
Hispanic: Male	*	*	*	*	0	26
Hispanic: Female	*	0	*	*	*	7
Asian/Pacific Islander: Male	*	0	*	0	0	2
Asian/Pacific Islander: Female	0	*	0	0	0	1
American Indian/Alaska Native: Male	0	0	0	*	0	1
American Indian/Alaska Native: Female	0	0	0	0	0	1
Unknown/Multiple Race: Male	*	*	*	0	0	10
Unknown/Multiple Race: Female	*	*	*	*	*	3
Total	221	229	271	316	415	3,583

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and age at diagnosis

Age (yrs)	2003	2004	2005	2006	2007	Cumulative cases through 2007
	No.	No.	No.	No.	No.	No.
<13	*	*	*	*	0	53
13-14	*	0	0	0	0	9
15-24	57	60	72	84	105	828
25-34	70	70	87	87	114	1,215
35-44	56	56	68	85	116	941
45-54	25	33	31	41	55	373
55-64	7	7	10	13	21	127
>=65	*	*	*	*	*	37
Total	221	229	271	316	415	3,583

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

Epi Profile
HIV (not AIDS) cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and exposure category

Exposure category	2003	2004	2005	2006	2007	Cumulative cases through 2007
	No.	No.	No.	No.	No.	No.
Male-to-male sex	79	80	87	132	99	1,358
Injection drug use (IDU)	*	*	*	11	*	136
Male-to-male sex and IDU	*	0	0	*	0	66
Heterosexual contact	58	61	73	105	135	1,056
Mother with/at risk for HIV	*	*	*	*	*	51
Other/unknown	77	85	106	66	179	916
Total	221	229	271	316	415	3,583

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and sex

	2003	2004	2005	2006	2007	Cumulative cases through 2007
Sex	No.	No.	No.	No.	No.	No.
Males	200	203	247	164	109	3,694
Females	73	72	98	106	82	1,200
Total	273	275	345	270	191	4,894

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown sex.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity

Race/ethnicity	2003	2004	2005	2006	2007	Cumulative cases through 2007
	No.	No.	No.	No.	No.	No.
White, not Hispanic	22	25	44	27	16	1,044
Black, not Hispanic	244	243	294	241	174	3,776
Hispanic	*	*	6	*	*	46
Asian/Pacific Islander	*	0	0	*	0	1
American Indian/Alaska Native	0	0	*	0	0	4
Unknown/Multiple Race	*	*	*	0	*	23
Total	273	275	345	270	191	4,894

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and race/ethnicity:sex

Race/ethnicity:Sex	2003	2004	2005	2006	2007	Cumulative cases through 2007
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	20	21	38	22	10	955
White, not Hispanic: Female	*	*	6	5	6	89
Black, not Hispanic: Male	175	176	204	140	99	2,677
Black, not Hispanic: Female	69	67	90	101	75	1,099
Hispanic: Male	*	*	*	*	0	39
Hispanic: Female	*	0	*	0	*	7
Asian/Pacific Islander: Male	0	0	0	*	0	1
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	*	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	1
Unknown/Multiple Race: Male	*	*	*	*	0	19
Unknown/Multiple Race: Female	*	*	*	0	*	4
Total	273	275	345	270	191	4,894

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and age at diagnosis

Age (yrs)	2003	2004	2005	2006	2007	Cumulative cases through 2007
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	17
13-14	*	*	0	0	*	2
15-24	21	25	23	19	18	385
25-34	72	82	85	76	49	1,778
35-44	101	92	129	95	74	1,696
45-54	66	55	75	68	38	753
55-64	10	17	21	12	8	195
>=65	*	*	12	0	*	68
Total	273	275	345	270	191	4,894

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.
 Total includes 0 persons of unknown age.

Epi Profile
AIDS cases among persons in MSR [Memphis/Shelby Region], by year of diagnosis and exposure category

Exposure category	2003	2004	2005	2006	2007	Cumulative cases through 2007
	No.	No.	No.	No.	No.	No.
Male-to-male sex	133	120	142	103	63	2,420
Injection drug use (IDU)	14	16	9	10	6	395
Male-to-male sex and IDU	0	*	8	*	0	228
Heterosexual contact	75	68	88	90	68	1,274
Mother with/at risk for HIV	0	*	0	*	0	15
Other/unknown	51	67	98	65	54	562
Total	273	275	345	270	191	4,894

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and sex

	2003	2004	2005	2006	2007
Sex	No.	No.	No.	No.	No.
Males	3,115	3,280	3,435	3,645	3,880
Females	1,359	1,451	1,551	1,659	1,786
Total	4,474	4,731	4,986	5,304	5,666

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and race/ethnicity

Race/ethnicity	2003	2004	2005	2006	2007
	No.	No.	No.	No.	No.
White, not Hispanic	816	840	865	892	920
Black, not Hispanic	3,589	3,811	4,036	4,323	4,657
Hispanic	42	50	55	59	59
Asian/Pacific Islander	*	*	*	*	*
American Indian/Alaska Native	*	*	*	*	*
Unknown/Multiple Race	24	26	25	23	23
Total	4,474	4,731	4,986	5,304	5,666

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and race/ethnicity:sex

	2003	2004	2005	2006	2007
Race/ethnicity:Sex	No.	No.	No.	No.	No.
White, not Hispanic: Male	706	726	740	761	783
White, not Hispanic: Female	110	114	125	131	137
Black, not Hispanic: Male	2,356	2,491	2,627	2,814	3,028
Black, not Hispanic: Female	1,233	1,320	1,409	1,509	1,629
Hispanic: Male	34	42	46	48	47
Hispanic: Female	8	8	9	11	12
Asian/Pacific Islander: Male	*	*	*	*	*
Asian/Pacific Islander: Female	0	*	*	*	*
American Indian/Alaska Native: Male	0	0	0	*	*
American Indian/Alaska Native: Female	*	*	*	*	*
Unknown/Multiple Race: Male	*	*	*	*	*
Unknown/Multiple Race: Female	*	*	*	*	*
Total	4,474	4,731	4,986	5,304	5,666

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and current age

Current age (yrs)	2003	2004	2005	2006	2007
	No.	No.	No.	No.	No.
<13	30	32	34	35	35
13-14	8	8	8	8	8
15-24	88	125	185	264	361
25-34	856	945	1,040	1,146	1,265
35-44	1,620	1,709	1,783	1,872	1,971
45-54	1,331	1,368	1,399	1,427	1,455
55-64	437	443	433	450	465
>=65	104	101	104	102	106
Total	4,474	4,731	4,986	5,304	5,666

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

Epi Profile
Numbers of persons living with HIV/AIDS in MSR [Memphis/Shelby Region], by year and exposure category

	2003	2004	2005	2006	2007
Exposure category	No.	No.	No.	No.	No.
Male-to-male sex	1,952	2,051	2,135	2,276	2,342
Injection drug use (IDU)	278	274	264	264	262
Male-to-male sex and IDU	130	122	122	122	121
Heterosexual contact	1,339	1,387	1,441	1,557	1,681
Mother with/at risk for HIV	53	55	57	58	58
Other/unknown	722	842	967	1,027	1,202
Total	4,474	4,731	4,986	5,304	5,666

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and sex

	2003	2004	2005	2006	2007	Cumulative deaths through 2007
Sex	No.	No.	No.	No.	No.	No.
Males	115	117	138	95	78	2,219
Females	37	54	50	44	33	592
Total	152	171	188	139	111	2,811

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons of unknown sex.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and race/ethnicity

Race/ethnicity	2003	2004	2005	2006	2007	Cumulative deaths through 2007
	No.	No.	No.	No.	No.	No.
White, not Hispanic	18	20	23	16	11	664
Black, not Hispanic	131	149	159	121	99	2,111
Hispanic	*	*	*	*	*	20
Asian/Pacific Islander	0	0	0	0	0	0
American Indian/Alaska Native	0	0	*	0	0	3
Unknown/Multiple Race	*	*	*	*	*	13
Total	152	171	188	139	111	2,811

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and race/ethnicity:sex

Race/ethnicity:Sex	2003	2004	2005	2006	2007	Cumulative deaths through 2007
	No.	No.	No.	No.	No.	No.
White, not Hispanic: Male	17	18	21	13	11	621
White, not Hispanic: Female	*	*	*	*	0	43
Black, not Hispanic: Male	96	97	114	80	66	1,566
Black, not Hispanic: Female	35	52	45	41	33	545
Hispanic: Male	*	*	*	*	*	18
Hispanic: Female	0	0	*	0	0	2
Asian/Pacific Islander: Male	0	0	0	0	0	0
Asian/Pacific Islander: Female	0	0	0	0	0	0
American Indian/Alaska Native: Male	0	0	*	0	0	3
American Indian/Alaska Native: Female	0	0	0	0	0	0
Unknown/Multiple Race: Male	*	*	*	*	0	11
Unknown/Multiple Race: Female	*	*	*	*	0	2
Total	152	171	188	139	111	2,811

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and age at death

Age (yrs)	2003	2004	2005	2006	2007	Cumulative deaths through 2007
	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	10
13-14	0	0	*	0	*	0
15-24	6	10	*	0	*	101
25-34	32	34	38	20	20	837
35-44	64	56	60	46	43	1,051
45-54	37	48	53	55	33	548
55-64	10	15	25	11	11	177
>=65	*	8	8	7	*	87
Total	152	171	188	139	111	2,811

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. Total includes 0 persons with unknown age.

Epi Profile

Numbers of deaths among persons with HIV/AIDS in MSR [Memphis/Shelby Region], by year of death and exposure category

Exposure category	2003	2004	2005	2006	2007	Cumulative deaths through 2007
	No.	No.	No.	No.	No.	No.
Male-to-male sex	70	65	81	54	48	1,436
Injection drug use (IDU)	11	9	16	15	5	269
Male-to-male sex and IDU	7	8	*	*	*	173
Heterosexual contact	43	60	53	37	33	649
Mother with/at risk for HIV	0	0	*	*	*	8
Other/unknown	21	29	35	31	24	276
Total	152	171	188	139	111	2,811

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.